

Burchiello Double

BATH





- Possibilité d'installation en claustra
- Kit mixte électrique en option sur demande
- Puissance élevée : idéal pour les installations à basse températures

- Possibility of installing in claustra radiator
- Electrical mixed kit available on request
- High power: ideal for low temperatures installation


CARACTÉRISTIQUES TECHNIQUES

- Réversibles: avant-arrière
- Fabriqué en acier
- Collecteurs Ø 35 mm
- Tubes Ø 25 mm avec forme arquée et extrémités des tubes arrondies
- 3 raccords de 1/2"
- Deux couches de peinture: anaphorèse et poudre époxy-polyester
- Kit de fixation inclus

TECHNICAL CHARACTERISTICS

- Reversible: front-back
- Made in steel
- Manifolds Ø 35 mm
- Tubes Ø 25 mm with arcuate shape and tube's end rounded
- 3 connections 1/2"
- Two coats of paint: anaphoresis and epoxy-polyester powder
- Fixing kit included

Schéma de montage Assembly scheme



Référence Code	Modèle Model	Hauteur Height (mm)	Largeur Width (mm)	Profondeur Depth (mm)	Entraxe Distance (mm)	Poids Weight Kg	Capacité d'eau Water capacity	Puissance Power W (watt Δ50)	Puissance Power W (watt Δ40)	Puissance Power W (watt Δ30)	Exposant Exponent	
BRC1745D0	BURCHIELLO Double 1745	722	450	80	410	13	73	668	507	356	1,21000	
BRC1750D0	BURCHIELLO Double 1750	722	500	80	460	15	8,0	713	542	380	1,21000	
BRC1760D0	BURCHIELLO Double 1760	722	600	80	560	17	9,4	837	636	446	1,21000	
BRC2045D0	BURCHIELLO Double 2045	912	450	80	410	16	8,6	777	590	414	1,21600	
BRC2050D0	BURCHIELLO Double 2050	912	500	80	460	17	9,4	848	644	452	1,21600	
BRC2060D0	BURCHIELLO Double 2060	912	600	80	560	20	11,0	983	747	523	1,21600	
BRC2075D0	BURCHIELLO Double 2075	912	750	80	710	24	13,8	1225	931	652	1,21600	
BRC2845D0	BURCHIELLO Double 2045	1216	450	80	410	21	12,1	1078	819	574	1,22300	
BRC2850D0	BURCHIELLO Double 2850	1216	500	80	460	24	13,2	1194	909	639	1,22300	
BRC2860D0	BURCHIELLO Double 2860	1216	600	80	560	28	15,4	1365	1039	731	1,22300	
BRC2875D0	BURCHIELLO Double 2875	1216	750	80	710	33	19,3	1689	1283	899	1,22300	
BRC3345D0	BURCHIELLO Double 3345	1406	450	80	410	25	13,6	1266	962	674	1,22400	
BRC3350D0	BURCHIELLO Double 3350	1406	500	80	460	28	15,1	1382	1052	740	1,22400	
BRC3360D0	BURCHIELLO Double 3360	1406	600	80	560	32	18,1	1604	1221	858	1,22400	
BRC3375D0	BURCHIELLO Double 3375	1406	750	80	710	39	22,6	1984	1507	1056	1,22400	
BRC3399D0	BURCHIELLO Double 3399	1406	990	80	950	51	29,9	2493	1894	1328	1,22400	
BRC3945D0	BURCHIELLO Double 3945	1710	450	80	410	29	16,7	1503	1142	800	1,23200	
BRC3950D0	BURCHIELLO Double 3950	1710	500	80	460	33	18,3	1641	1247	875	1,23200	
BRC3960D0	BURCHIELLO Double 3960	1710	600	80	560	38	21,5	1899	1443	1012	1,23200	
BRC3975D0	BURCHIELLO Double 3975	1710	750	80	710	44	24,7	2332	1772	1242	1,23200	
BRC3999D0	BURCHIELLO Double 3999	1710	990	80	950	50	27,9	2954	2245	2245	1,23200	

Black soft touch

