

Burchiello Simple-Single

BATH





- Kit mixte électrique en option sur demande
- Possibilité d'installation en claustra
- Accessoire : soufflant - Fohen

- Electrical mixed kit available on request
- Possibility of installing in claustra radiator
- Accessory: Fohen Fan


Schéma de montage Assembly scheme

CARACTÉRISTIQUES TECHNIQUES

- Fabriqué en acier
- Collecteurs Ø 35 mm
- Tubes Ø 25 mm avec forme arquée et extrémités des tubes arrondies
- 3 raccordements de 1/2"
- Deux couches de peinture: anaphorèse et poudre époxy-polyester
- Kit de fixation inclus

TECHNICAL CHARACTERISTICS

- Made in steel
- Manifolds Ø 35 mm
- Tubes Ø 25 mm with arched shape and tube's end rounded
- 3 connections of 1/2"
- Two coats of paint: anaphoresis and epoxy-polyester powder
- Fixing kit included



Burchiello Simple - Single

BATH

Référence Code	Modèle Model	Hauteur Height (mm)	Largeur Width (mm)	Profondeur Depth (mm)	Entraxe Distance (mm)	Poids Weight Kg	Capacité d'eau Water capacity	Puissance Power W (watt Δ50)	Puissance Power W (watt Δ40)	Puissance Power W (watt Δ30)	Exposant Exponent
BRC1745S0	BURCHIELLO SINGOLO 1745	722	450	58	410	7,8	4,3	372	284	200	1,21100
BRC1750S0	BURCHIELLO SINGOLO 1750	722	500	58	460	8,4	4,6	413	315	222	1,21100
BRC1760S0	BURCHIELLO SINGOLO 1760	722	600	58	560	9,6	5,3	496	378	266	1,21100
BRC2045S0	BURCHIELLO SINGOLO 2045	912	450	58	410	9,2	5,0	431	329	231	1,21300
BRC2050S0	BURCHIELLO SINGOLO 2050	912	500	58	460	9,9	5,4	478	364	257	1,21300
BRC2060S0	BURCHIELLO SINGOLO 2060	912	600	58	560	11,3	6,2	574	437	308	1,21300
BRC2075S0	BURCHIELLO SINGOLO 2075	912	750	58	710	13,5	7,4	718	547	386	1,21300
BRC2845S0	BURCHIELLO SINGOLO 2845	1216	450	58	410	12,5	7,1	585	446	314	1,21700
BRC2850S0	BURCHIELLO SINGOLO 2850	1216	500	58	460	13,5	7,6	650	495	349	1,21700
BRC2860S0	BURCHIELLO SINGOLO 2860	1216	600	58	560	15,5	8,7	780	595	419	1,21700
BRC2875S0	BURCHIELLO SINGOLO 2875	1216	750	58	710	18,5	10,4	975	743	524	1,21700
BRC3345S0	BURCHIELLO SINGOLO 3345	1406	450	58	410	14,5	7,7	682	520	366	1,22000
BRC3350S0	BURCHIELLO SINGOLO 3350	1406	500	58	460	15,8	8,5	758	577	406	1,22000
BRC3360S0	BURCHIELLO SINGOLO 3360	1406	600	58	560	18,1	10,2	909	692	487	1,22000
BRC3375S0	BURCHIELLO SINGOLO 3375	1406	750	58	710	21,6	12,8	1136	866	610	1,22000
BRC3399S0	BURCHIELLO SINGOLO 3399	1406	990	58	950	28,0	16,9	1500	1143	805	1,22000
BRC3945S0	BURCHIELLO SINGOLO 3345	1710	450	58	410	17,4	9,7	797	607	428	1,22400
BRC3950S0	BURCHIELLO SINGOLO 3950	1710	500	58	460	18,7	10,5	886	674	474	1,22400
BRC3960S0	BURCHIELLO SINGOLO 3960	1710	600	58	560	21,5	12,1	1063	809	569	1,22400
BRC3975S0	BURCHIELLO SINGOLO 3975	1710	750	58	710	25,6	14,5	1329	1013	714	1,22400
BRC3999S0	BURCHIELLO SINGOLO 3999	1710	990	58	950	33,0	19,1	1754	1337	937	1,22400